Weight Distributing Systems



e2™ Weight Distributing Kits

The e2™ hitch's rigid brackets give you permanent sway control, so you can get on the road faster and enjoy your drive, without having to worry about extra add-ons to connect and remove for backing or



- •Built-in sway control: outperforms add-ons and CAM style
- •No backing or turning restrictions while hitching & unhitching
- Faster, easier hookup than old-style chain models
- •10 year warranty!
- •Hitch ball (HLC12) is sold separately
- •6" tall trailer frame brackets included. Larger brackets available

HWET800	Trunnion square bar	8,000GTW 800TW	\$625.00
HWET1000	Trunnion square bar	10,000GTW 1,000TW	\$625.00
HWER800	Round bar	8,000GTW 800TW	\$525.00
HWER1000	Round bar	10,000GTW 1,000TW	\$525.00
HWQ5600	Replacement equalize	er bracket kit, 2 required	\$ 79. 95

Continuum[™] Weight Distribution Hitch





- •Immediate and continuous friction sway prevention
- •Single pivot point eliminates noise and wear points
- •Preset head angle works for every setup
- •Setup is all done on the driver's side
- •Load the bars by pumping the handle until desired weight is transferred to the front axle
- •Pressure gauge to ensure a repeatable setup
- •Unload the bars by simply twisting the needle valve knob
- •Composite bars are lighter-weight and 5x more flexible than steel, but with similar strength
- •Tapered composite spring bars made with LITEFLEX® technology by Hendrickson cover 600 - 1,600 lb tongue weight

HWC4500	16,000 GTW	1,600 TW	2" receiver	\$1299.00
HWC4502	16,000 GTW	1,600 TW	2.5" receiver	\$1319.00

Equal-i-zer® Weight Distributing Kits

Equal-i-zer's superior technology and Made-In-America quality make it the best performing sway control hitch on the market, working to keep your family safe, every time you tow.

THE ORIGINAL Equil-i-zu SWAY CONTROL HITCH



- All of the e2TM features plus more!
- •Rigorously tested and proven BEST IN CLASS!
- Superior 4-Point built-in sway control
- •All American made
- •Lifetime warranty!
- •Hitch ball is sold separately
- •HWQ1000-1400 fit up to 6" tall trailer frame. Larger brackets available
- •HWQ1600 trailer brackets fit 4-8" tall trailer frames
- •HWQ1600 now includes factory installed 2-5/16" hitch ball

HWQ1000	10,000 GTW	1,000 TW	2" receiver	\$825.00
HWQ1200	12,000 GTW	1,200 TW	2" receiver	\$850.00
HWQ1400	14,000 GTW	1,400 TW	2" receiver	\$875.00
HWQ1600	16,000 GTW	1,600 TW	2½" receiver	\$925.00
HWQ6100	25/16" Equalizer	hitch ball, 10	0,000 lb rating	\$30.95
HWQ6140	25/16" Equalizer	hitch ball, 14	4,000 lb rating	\$38.95
HWQ6160	25/16" Equalizer	hitch ball, 16	5,000 lb rating	\$40.95
HWQ4800	1%" thin-wall so	ocket (¾" driv	ve) for tightening	\$ 79. 95
	hitch ball in Eq	ual-i-zer® hea	d.	
HWQ5600	Replacement eq	ualizer brack	et kit, 2 required	\$ 79. 95

e2™ & Equal-i-zer® Parts








ITEM#	receiver	drop	rise	rating	Price
HWE4214	2"	5¾"	9¾"	up to 14K GTW	\$1 61. 95
HWE4315	2"	8½"	12¼"	up to 14K GTW	\$185.95
HWQ4325	2½"	5¾"	9¼"	16K GTW	\$218. ⁹⁵
HWQ9430	L-pin wi	L-pin with spring clip set			



Weight Distributing Systems


Trunnion Square-Bar Style



HWT100	8,000-10,000 GTW	800-1,000 TW	\$ 449. 95
HWT150	10,000-15,000 GTW	1,000-1,500 TW	\$469.95
HWP662	Head only for trunnion style		\$142.95
HWP621	Bolt Kit for CURT trunnion bar head		\$45.95
HWP666	Spring bar with chain	(each); 800-1,000 TW	\$145.95

Round-Bar Style

CURT



HWR100	8,000-10,000 GTW	800-1,000 TW	\$389.95
HWR140	10,000-14,000 GTW	1,000-1,400 TW	\$389.95
HWP660	Head only for round-l	oar style	\$139.95
HWP620	Bolt Kit for CURT rou	\$33.95	
HWP664	Spring bar with chain	\$106. ⁹⁵	
HWP624	Repair kit for spring c	lips	\$1 7. 95

See page 148 for shank bars with drop options

Round or Square bar style?

Trunnion square-bar style:

Trunnion square-bar style requires about 3" less clearance than round-bar, making it an ideal option for SUV's & vans or traveling uneven terrain. Also Trunnion style holds temper better than round giving a more durable system.

Round-Bar Style with Sway Control **REESE**.



- •Round bar with integrated sway control
- •No-drill, clamp on trailer brackets for up to 7" tall frames
- •Adjustable shank with up to 5" of drop
- •Includes pre-torqued 25/16" hitch ball

HWRR108	8,000 GTW	800 TW	\$ 379. 95
HWRR110	11,500 GTW	1,150 TW	\$ 379. 95

What is it and do I need it?

Weight distributing hitches distribute the tongue weight between trailer and towing vehicle. Tongue weight is the weight pressing down on the ball. Too much tongue weight causes the vehicle to squat which hinders safe steering and can cause your vehicle to "bottom out." See illustration.





Without weight distribution



With weight distribution



Weight Distributing, Sway Control



Weight Distributing Shank Bars

- •Designed to fit both round and square bar heads
- Can be flipped to provide drop or rise
- 34" bolt holes are spaced 114" center to center
- •Head and bolts are sold separately on page 147

How do I choose a shank bar?

- 1. Calculate the amount of drop or rise you need. Please see the diagram on page 4.
- 2. Determine if you are using a round-bar or trunnion square-bar weight distributing system. See page 147.
- 3. In the chart below, find a shank bar that closely matches the amount of drop or rise you need.





ITEM# CURT#	Price	Shank	Round-Bar Trunnion Square-		Square-Bar	Vertical	Pin hole to	Pin hole		
II LIVI#	COILT #	rrice	Size	Drop	Rise	Drop	Rise	Bar	Bolt hole	to gusset
HWB320	17100	\$ 129. 95	2"	2"	2¾"	5"	3¼"	7¾"	8"	3¼"
HWB324	17103	\$182. ⁹⁵	2" sq	2"	7"	1/2"	7¼"	7¾"	14"	9"
HWB340	17120	\$114. ⁹⁵	2" sq	5"	9¾"	3½"	10"	10¾"	10"	3¼"
HWB350	17121	\$140. ⁹⁵	2" sq	6¼"	11"	4¾"	11¼"	12"	12"	3¼"
HWB352	17123	\$143. ⁹⁵	2" sq	7.5"	12½"	6"	1½"	12¾"	7"	2¾"
HWB360	17124	\$130. ⁹⁵	2" sq	8¾"	13¾"	71/4"	14"	14½"	9"	27/8"
HWB365	17125	\$ 166. 95	2" sq	15"	20"	13½"	20¼"	20¾"	8"	2¾"
HWB420	17131	\$188. ⁹⁵	2½" sq	2¾"	7"	1¼"	71/4"	95/8"	8"	2¾"
HWB460	17132	\$ 217. 95	2½" sq	8½"	N/A	7"	N/A	14¼"	8"	4"



Replacement Parts to fit square bar and round-bar systems



HWP612	Snap-up bracket with set screw and clip, each	\$36. ⁹⁵
HAPS11	Snapper pin for snap-up bracket	\$1.89
HWP610	Handle for snap-up bracket (with bend & grip)	\$17. ⁹⁵
HWP618	Pair of chains with U-bolts	\$ 17. 95

Why use a Sway Control unit?

Trailer sway is a problem when there is not enough or too much tongue weight. Sway is worsened by strong cross winds or turbulence from passing semi-trucks. Large or heavy and broadsided trailers may require the use of 2 sway controls.

A sway control is also recommended with use of a weight distributing system.



Sway Control System

